



CONSTRUCTION TOOLS

NEW PRODUCT CATALOG

BNH-640 ELECTRIC ROTARY HAMMER

BNH-1145 ELECTRIC DEMOLITION HAMMER

BNH-1770 COMMERCIAL ELECTRIC DEMOLITION HAMMER

BNCE-130 CUTTING EDGE™ 14" CHOP SAW

BNEFT ELECTRIC WIRE THREADER

WORK AREA LIGHTING SOLUTIONS
-BNLB-24360
-BNLB-6905
-BNLB-6907H

BNHC-20 MEDIUM-DUTY HYDRAULIC REBAR CUTTER

BNCE-45 CUTTING EDGE SAW™



QUALITY BN PRODUCTS USA
BN Products-USA™
Quality Products Engineered with Intelligence and Imagination

NEW CONTRACTOR TOOLS

ROTARY HAMMER	DEMOLITION HAMMERS
<p>1250W SDS-Max Ergo Type EG</p> <p>BNH-640</p>	<p>1700W 7/8" Shank BNH-1145</p> <p>1500W 1 1/2" Shank BNH-1770</p> <p>BNH-1145 BNH-1770</p>

QUALITY CONTRACTOR TOOLS FROM BN Products-USA

BNH-640 ROTARY HAMMER

BNH-1145 DEMOLITION HAMMER

BNH-1770 DEMOLITION HAMMER

www.BNProducts.com



New Products!



BN PRODUCTS-USA, LLC.

A Division of Benner-Nawman, Inc.

BNH-640 Rotary Hammer

Commercial 1250W/40mm Rotary Hammer



**BNH-640
Rotary Hammer**

**POWERFUL
Impact Strength!**



SDS Max Bits (18mm x 320mm)



Carrying Case


- Modes: Hammer/Drill, Hammer Only (free rotate), Hammer Only (fixed)
- Up to 6.6 foot-pounds of maximum impact force
- 1-9/16" (40mm) Maximum Concrete Drilling Diameter
- Adjustable speed settings for different working environments
- 360° Rotating/Locking side handle maintains hammer position when working from any angle
- Includes bull point chisel bit & drilling bit, lubricant, grease pot wrench, carbon brushes, & molded carrying case

Product ID	BNH-640
Description	1250W Rotary Hammer
Power	120V / 60Hz
Amperage	10.4A
No-Load Speed	0-480 RPM
Impact Power	2-9J
Impact Rate	1500-3100 BPM
Chuck	SDS Max
Max Concrete Drill Diameter	1-9/16" / 40mm
L x W x H	18-1/4 x 4-3/4 x 10-3/4" (46.5 x 12.1 x 27.5cm)
Weight	16.5 lbs. / 7.5 KG
Certification	CE

BNH-640-Literature.indd

BN Products-USA™

3450 Sabin Brown Road
Wickenburg, AZ 85390
(800) 992-3833
www.BNProducts.com





BN PRODUCTS-USA, LLC.

A Division of Benner-Nawman, Inc.

BNH-1145 Demolition Hammer

Commercial SDS-Max Electric Demolition Hammer



**BNH-145
Demolition
Hammer**



Bull Point & Flat Chisels



**BNH-1145
w/ Flat Chisel**



**Durable Molded
Carrying Case**

Features & Specifications

- Breaks concrete, tile, masonry, stucco, brick, & more
- Used for concrete and masonry demolition & chipping applications
- SDS-Max chuck system - includes flat and bull point chisels
- Auxiliary handle swivels 360°, and locks for maximum control and precision
- Flexible two-handle design maintains hammer position from any angle
- Industrial-strength breaking force (45 Joules) for difficult demolition jobs
- Top Impact Rate: 2100 BMP
- Safety lock switch

Product ID	BNH-1145
Description	1500W Demolition Hammer
Power	120V / 60Hz
Impact Power	45 Joules / 33.2 ft-pounds
Impact Rate	900-2100 BPM
Chuck / Bit lock	SDS-Max
Unit Weight	24.3 lbs. (11 kg)

Accessories Included:


- | | |
|----------------------------|------------------------|
| (1) Protective case | (1) Bull point chisel* |
| (1) Carbon brush set | (1) 22mm Flat chisel* |
| (1) Lubricant grease-tube | (1) Auxiliary handle |
| (1) Lubricant cover wrench | |
| (1) Operator Manual | |

*Chisel diameter x length: 18 x 280 mm

BNH-1145-Literature.indd

BN Products-USA™

3450 Sabin Brown Road
Wickenburg, AZ 85390
(800) 992-3833
www.BNProducts.com





BN PRODUCTS-USA, LLC.

A Division of Benner-Nawman, Inc.

BNH-1770 Demolition Hammer

Hard-Hitting Commercial Electric Demolition Hammer



**BNH-1770
Demolition Hammer**

Flat & Bull Point Chisels



**Durable Molded
Carrying Case**

Features & Specifications


- Breaks concrete, tile, masonry, stucco, brick, & more
- Used for demolition, chipping, and trenching applications
- 1-1/8" Hex chuck - includes flat and bull point chisels
- Side handle swivels 360°, and locks for maximum control and precision
- Adjustable two-handle design maintains comfortable working posture
- Industrial-strength breaking force (50 Joules) for difficult demolition jobs
- High impact rate at 1650 BMP
- Uses standard 120V power supply

Product ID	BNH-1770
Description	1700W Demolition Hammer
Power	120V / 60Hz
Impact Power	50 Joules / 37 foot-pounds
Impact Rate	1650 BPM
Chuck / Bit lock	30mm hexagon flat shank system with key
Unit Weight	39 lbs. (17.7 kg)
Accessories Included:	
(1) Protective case	(1) Bull point chisel*
(1) Carbon brush set	(1) Flat chisel*
(1) Lubricant grease-tube	(2) Hex chuck keys
(1) Lubricant cover wrench	
(1) Operator Manual	
<small>*Chisel size: 1-1/8 x 16" (30 x 410 mm)</small>	

BNH-1770-Literature.indd

BN Products-USA™

3450 Sabin Brown Road
Wickenburg, AZ 85390
(800) 992-3833
www.BNProducts.com





BN PRODUCTS-USA, LLC.

A Division of Benner-Nawman, Inc.

BNCE-130

14" Cutting Edge Saw™

Cold-Cutting, Hand-Operated Stationary Multi-Material Saw



- ▶ 14" 72T TCT Multi-Material Blade
- ▶ Less Sparks, No Burrs!
- ▶ Protective Blade Shroud



Cut Fast.
Cut Safe.
Cut Smart.

- ▶ Ferrous Metal
- ▶ Non-Ferrous Metal
- ▶ Wood
- ▶ Wood with Nails
- ▶ Conduit
- ▶ PVC Pipe
- ▶ Reinforced Hose
- ▶ Composites



2.4 HP Motor | 120V ~ 60 Hz | 1800W - 15A

Features:

- ▶ **Cold cutting technology** - the hallmark of the Cutting Edge™ brand - arrives in the form of a stationary saw to cut larger round tubing and rod - up to 5" at 90°!
- ▶ **Outperforms abrasive saws** - faster and safer - fewer sparks - saves valuable time
- ▶ **Safety & Accuracy** - a Cutting Edge™ cold cut is burr-free, and cool to the touch; the BNCE-130 heavy-duty base and rubber footing removes vibration, ensuring a high-quality cut surface with every cut
- ▶ **Lock & cut** - simple-to-use clamp easily secures materials, and includes a V-block to lock-in round rods and tubing - make 45° mitre cuts in mere seconds!

Specifications:

- Weight: 53 lbs. / 24 kg
- Speed: 1500 RPM
- Noise Level: 108 dB(A) K=3 dB(A)
- Cutting Capacity (Rod & Tubing):
 - Round (90°) 5-1/8" (130mm)
 - Square ((90°): 4-3/4" (120mm)
- Blade:
 - Diameter: 14" / 355mm
 - Bore/Arbor: 1" / 25.4mm
 - Kerf: 0.094" / 2.4mm

BN Products-USA™

3450 Sabin Brown Road
Wickenburg, AZ 85390
(800) 992-3833
mail@bnproducts.com





BN PRODUCTS-USA, LLC.

A Division of Benner-Nawman, Inc.

BNEFT Electric Fish Tape

Powerful 24V Wire Pulling Machine for Cabling and Wiring

BENFT Wire Threading Machine (Fish Tape)



Features:

- Threads cabling through pipe or conduit up to 130 ft. per minute, using 220lbs of pulling force
- High quality brushless motor; includes two long-life batteries
- Flexible steel guide and cable that runs easily through most pipe and conduit
- Variable speed trigger and adjustable clutch to control push/pull strength to protect wiring and the machine
- Developed to provide maximum comfort, quality, and mobility

Specifications:

- Weight (w/o battery): 6.6 lbs. / 3 kg
- Cable length (standard): 91 ft. / 28 m
- Cable diameter: .23" / 5.8 mm
- Working Mode: Pull / Push
- Motor Speed: 0-3000 rpm
- Noise Level: 1 dBA @ 44 yards
- Auto Stop Function: Included
- Battery Life: 4 hours
- Includes LED Battery Life Indicator

BN Products-USA™

3450 Sabin Brown Road
Wickenburg, AZ 85390
(800) 992-3833
www.BNProducts.com





BN PRODUCTS-USA, LLC.

A Division of Benner-Nawman, Inc.

BNLB Series Construction Floodlights

Indoor / Outdoor Portable Lighting

Glare-Free LED Job Site Illumination



BNLB-24360



Key Features:

- **BNLB-24360**
- 70W 360° area light; 120V AC & 24V battery
- Sturdy, retractable tripod for stable placement, and convenient transport and storage
- Dimmable in battery mode
- **BNLB-6905**
- 15W Cordless 24V work light
- Lamp rotates & pivots
- 42 high-quality SMD LED 6500K lights; 4 brightness settings
- **BNLB-6907H**
- 25W Tri-panel work light; 120 AC & 24V battery
- Lamp rotates & pivots
- 96 high-quality SMD LED 6500K lights



BNLB-6905






BNLB-6907H



24V / 4.0A Battery & Charger


Summary - Specifications

 BNLB-24360	6000 Lumens
	32 x 25 x 53" (Expanded)
	8.9 lbs
 BNLB-6905	1600 Lumens
	30,000 hour nominal life
	14° - 104°F operating temp
 BNLB-6907H	2250/4000 lumens (24V/AC)
	30,000 hour nominal life
	14° - 104°F operating temp
*All work lights use the BN Products-USA™ 24V/4.0A battery platform (Battery/Charger included)	

BNLB-New-Work-Lights-Literature.indd

BN Products-USA™

3450 Sabin Brown Road
Wickenburg, AZ 85390
(800) 992-3833
www.BNProducts.com





BN PRODUCTS-USA, LLC.

A Division of Benner-Nawman, Inc.

www.bnproducts.com

Medium-Duty Rebar Cutter BNCE-45 Cutting Edge Saw™

BNHC-20 Medium-Duty Rebar Cutter



The BNHC-20 portable medium-duty rebar cutter will safely, efficiently, and cleanly cut rebar up to #6 (3/4") diameter grade 60.

The BNHC-20 is a comparable option to the DC-20WH for medium duty workloads, with a price advantage for the buyer/end-user!

BNHC-20	
Maximum Cutting Diameter	3/4" #6 Rebar (19mm) Grade 60
Cutting Speed / Pressure	3 Seconds / 15 Tons
Voltage / Amperage	115V 50/60Hz / 10 amps
Tool Weight	25.4 lbs (11.5 kg)
Dimensions L x W x H	16" x 4.3" x 8.2" (210mm) x (410mm) x (110mm)

BNCE-45

THE CUTTING EDGE SAW™

BNCE SERIES



BNCE-45
Cutting Edge Saw™

- New addition to the Cutting Edge Saw™ product line! The BNCE-45 is designed to cut rebar up to #10 (32mm) and other steel products up to 1-7/8", including strut
- Replacement product for the BNCE-50 legacy Cutting Edge Saw™ model
- Available as a corded (BNCE-45) or cordless (BNCE-45-24V) model
- Uses familiar housing and handle parts shared by handheld Cutting Edge™ saws; this new saw features a higher torque ratio and a smaller blade, when compared to the legacy BNCE-50 Cutting Edge Saw™
- Strengthened shaft and bottom guide designed to improve performance when cutting larger materials



BNCE-45-24V
Cordless Cutting Edge Saw™



New handle & guide
design improves grip & control